



Certificate number: 2312717 (1)

Issued 11/12/2023
Expires 11/12/2028

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)
Model number(s) – see Appendix

TCL Manufacturing Ltd T/A Perrin & Rowe.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:
TCL Manufacturing Ltd T/A Perrin & Rowe
Unit 1 Gateway XIII
Ferry Lane South
Rainham
Essex
RM13 9JY



KUKreg4

Product Certificate

Appendix to Certificate number: 2312717

The following products belong to this certificate

<p>PRODUCT DESCRIPTION</p> <p>Range of bath shower mixing taps with brass bodies and various finishes with a manual diverter to the shower outlet. Supplied with metal backnuts.</p> <p>ATS3 – Without Production Surveillance.</p>
<p>MODEL(S)</p> <p>DECO</p> <p>3132**</p> <p>3133**</p> <p>3128**</p> <p>3129**</p> <p>3100**</p> <p>3100/1**</p> <p>3101**</p> <p>3101/1**</p> <p>3120/1**</p> <p>3121/1**</p> <p>TRADITIONAL</p> <p>3530**</p> <p>3531**</p> <p>3500**</p> <p>3501**</p> <p>3500/1**</p> <p>3501/1**</p> <p>3520**</p> <p>3521**</p> <p>3520/1**</p> <p>3521/1**</p> <p>3535**</p> <p>3536**</p> <p>3505**</p> <p>3506**</p> <p>3525**</p> <p>3236**</p> <p>GEORGIAN</p> <p>3018**</p> <p>3019**</p> <p>3000**</p> <p>3001**</p> <p>3000/1**</p> <p>3001/1**</p> <p>3012**</p> <p>3013**</p> <p>3012/1**</p> <p>3013/1**</p> <p>3021**</p> <p>3022**</p> <p>3003**</p> <p>3004**</p> <p>3012**</p> <p>3013**</p> <p>CPH</p> <p>CPH.3530**</p>

Product Certificate

Appendix to Certificate number: 2312717

<p>CPH.3531** CPH.3532** CPH.3500** CPH.3501** CPH.3502** CPH.3535** CPH.3536** CPH.3505** CPH.3506**</p> <p>Where ** denotes finish and can be replaced by: CP = Chrome, NI = Nickel, PF = Pewter, IG = Gold, BZ = English Bronze, BR = Polished Brass, SB = Satin Brass</p>
<p>SIZE: $\frac{3}{4}$" BSP(M).</p>
<p>SCOPE: Manufacturer recommended maximum working pressure 5 Bar & maximum operating temperature 60°C. Hygienic Purposes: Non-metallic materials suitable for continuous use up to 60°C.</p>
<p>MARKING Manufacturers name on tap body.</p>
<p>MATERIALS Non-metallic materials assessed (BS6920) to point of discharge.</p>
<p>BACKFLOW PROTECTION NOTES Consideration must be made on installation to the airgap arrangement. Consider balanced supplies or appropriate backflow protection at the inlets.</p>
<p>ADDITIONAL NOTES All water contact & exposed components satisfy opacity requirements. A hose and handset is not supplied as part of this approval.</p>

Extra Notes